

Express Mail No.: EV452774660US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Kiener et al.

Confirmation No.: 5469

Application No.: 10/823,254

Group Art Unit: 1614

Filed: April 12, 2004

Examiner: To Be Assigned

For: EphA2 AND
HYPERPROLIFERATIVE CELL
DISORDERS

Attorney Docket No.: 10271-060-999

INFORMATION DISCLOSURE
STATEMENT UNDER 37 C.F.R. §1.56 AND §1.97

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 and § 1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby invite the Examiner's attention to the references **A01 to A54, B01 to B24, and C01 to C316** listed on the attached revised form PTO 1449 entitled "List of References Cited by Applicant." Copies of references **A01 to A22, B01 to B24, and C01 to C316** are submitted herewith.


Identification of the listed references is not meant to be construed as an admission of Applicants or Attorneys for Applicants that such references are available as "prior art" against the subject application.

Applicants respectfully request that the Examiner review the foregoing references and that the references be made of record in the file history of the application.

Pursuant to 37 C.F.R. § 1.97(b), Applicants estimate that no fee is due in connection with the filing of this Information Disclosure Statement. However, should the Patent Office determine otherwise, please charge the necessary fee to Jones Day Deposit Account No. 50-3013. A duplicate of this sheet is enclosed.

Respectfully submitted,


Date June 10, 2005


Margaret B. Brivanlou 40,922
(Reg. No.)

JONES DAY
222 East 41st Street
New York, New York 10017-6702
(212) 326-3939

Enclosures

Application Serial No.: 10/823,254



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

10271-060-999

APPLICATION NO

10/823,254

APPLICANT

Kiener et al.

FILING DATE

April 12, 2004

GROUP

1614

U.S. PATENT DOCUMENTS

| *EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|----------------------|-----|--------------------|----------|---------------------|-------|----------|-------------------------------|
| | A01 | 60/622,711 | | Kinch | | | 10/27/04 |
| | A02 | 60/561,845 | | Allan | | | 4/12/04 |
| | A03 | 60/503,356 | | Carles-Kinch et al. | | | 9/16/03 |
| | A04 | 60/476,909 | | Carles-Kinch et al. | | | 6/6/03 |
| | A05 | 60/462,024 | | Kiener et al. | | | 4/11/03 |
| | A06 | 60/462,009 | | Kiener et al. | | | 4/11/03 |
| | A07 | 60/418,213 | | Kinch et al. | | | 10/14/02 |
| | A08 | 60/418,204 | | Kinch et al. | | | 10/14/02 |
| | A09 | 60/388,921 | | Oliver et al. | | | 6/14/02 |
| | A10 | 60/388,920 | | Oliver et al. | | | 6/14/02 |
| | A11 | 60/379,368 | | Kinch et al. | | | 5/10/02 |
| | A12 | 60/379,322 | | Kinch et al. | | | 5/10/02 |
| | A13 | 60/368,729 | | Young et al. | | | 3/29/02 |
| | A14 | 60/232,302 | | Kinch et al. | | | 9/12/00 |
| | A15 | 60/149,259 | | Kinch et al. | | | 8/17/99 |
| | A16 | 10/823,253 | | Reed | | | 4/12/04 |
| | A17 | 10/823,810 | | Reed | | | 4/12/04 |
| | A18 | 10/403,180 | | Young et al. | | | 3/31/03 |
| | A19 | 10/015,166 | | Langermann et al. | | | 12/10/01 |
| | A20 | 09/952,560 | | Kilpatrick et al. | | | 9/12/01 |
| | A21 | 09/724,531 | | Young et al. | | | 11/28/00 |
| | A22 | 09/640,935 | | Kinch | | | 8/17/00 |
| | A23 | 2005/0002934 | 1/6/05 | Kiener et al. | | | |
| | A24 | 2004/0180823 | 9/16/04 | Pasquale et al. | | | |
| | A25 | 2004/0106132 | 6/3/04 | Huang et al. | | | |
| | A26 | 2004/0096451 | 5/20/04 | Young et al. | | | |
| | A27 | 2004/0091486 | 5/13/04 | Kinch et al. | | | |
| | A28 | 2004/0028685 | 2/12/04 | Kinch et al. | | | |
| | A29 | 2003/0224374 | 12/4/03 | Dai et al. | | | |
| | A30 | 2003/0199071 | 10/23/03 | Langermann et al. | | | |
| | A31 | 2003/0190311 | 10/9/03 | Dall'acqua et al. | | | |
| | A32 | 2003/0100497 | 5/29/03 | Baker et al. | | | |
| | A33 | 2003/0091584 | 5/15/03 | Young et al. | | | |
| | A34 | US 2001/0031262 A1 | 10/18/01 | Low et al. | | | |
| | A35 | 2001/0031252 | 10/18/01 | Low et al. | | | |

| | | | | | | | |
|--|-----|-----------|----------|-----------------|--|--|--|
| | A36 | 6,818,216 | 11/16/04 | Young et al. | | | |
| | A37 | 6,387,615 | 5/14/02 | Cookson et al. | | | |
| | A38 | 6,245,320 | 6/12/01 | Kim | | | |
| | A39 | 6,083,973 | 7/4/00 | Belloni | | | |
| | A40 | 5,981,245 | 11/9/99 | Fox et al. | | | |
| | A41 | 5,876,949 | 3/2/99 | Dreyfuss et al. | | | |
| | A42 | 5,872,223 | 2/16/99 | Uckun | | | |
| | A43 | 5,824,307 | 10/20/98 | Johnson | | | |
| | A44 | 5,824,303 | 10/20/98 | Bartley et al. | | | |
| | A45 | 5,811,098 | 9/22/98 | Plowman et al. | | | |
| | A46 | 5,770,195 | 6/23/98 | Hudziak et al. | | | |
| | A47 | 5,585,089 | 12/17/96 | Queen et al. | | | |
| | A48 | 5,514,554 | 5/7/96 | Bacus | | | |
| | A49 | 5,457,048 | 10/10/95 | Pasquale et al. | | | |
| | A50 | 5,001,225 | 3/19/91 | Taylor | | | |
| | A51 | 4,885,238 | 12/5/89 | Reddel et al. | | | |
| | A52 | 4,816,567 | 3/28/89 | Cabilly et al. | | | |
| | A53 | 4,704,692 | 11/3/87 | Ladner | | | |
| | A54 | 4,472,371 | 9/18/84 | Burchiel et al. | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | |
|--|-----|-----------------|----------|---------|-------|----------|-------------|----|
| | | | | | | | YES | NO |
| | B01 | WO 04/069264 | 8/19/04 | PCT | | | | |
| | B02 | WO 04/014292 | 2/19/04 | PCT | | | | |
| | B03 | WO 03/099313 | 12/4/03 | PCT | | | | |
| | B04 | WO 03/091383 | 11/6/03 | PCT | | | | |
| | B05 | WO 02/43660 | 6/6/02 | PCT | | | | |
| | B06 | WO 02/15928 | 2/28/02 | PCT | | | | |
| | B07 | WO 02/070007 | 9/12/02 | PCT | | | | |
| | B08 | WO 02/04496 | 1/17/02 | PCT | | | | |
| | B09 | WO 01/47892 | 7/5/01 | PCT | | | | |
| | B10 | WO 01/12840 | 2/22/01 | PCT | | | | |
| | B11 | WO 01/12172 | 2/22/01 | PCT | | | | |
| | B12 | WO 01/05978 | 1/25/01 | PCT | | | | |
| | B13 | WO 01/04148 | 1/18/01 | PCT | | | | |
| | B14 | WO 00/37500 | 6/29/00 | PCT | | | | |
| | B15 | WO 00/30673 | 6/2/00 | PCT | | | | |
| | B16 | WO 98/43960 | 10/5/98 | PCT | | | | |
| | B17 | WO 97/34631 | 9/25/97 | PCT | | | | |
| | B18 | WO 96/36713 | 11/21/96 | PCT | | | | |
| | B19 | WO 95/15375 | 6/8/95 | PCT | | | | |
| | B20 | WO 95/05481 | 2/23/95 | PCT | | | | |
| | B21 | WO 94/29348 | 12/22/94 | PCT | | | | |
| | B22 | WO 94/11020 | 5/26/94 | PCT | | | | |

| | | | | | | | |
|-----|-------------|--------|-----|--|--|--|--|
| B23 | WO 94/04679 | 3/3/94 | PCT | | | | |
| B24 | WO 93/00425 | 1/7/93 | PCT | | | | |

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|-----|---|
| C01 | Aasheim et al., 2000, "A splice variant of human ephrin-A4 encodes a soluble molecule that is secreted by activated human B lymphocytes," Blood 95(1):221-230 |
| C02 | Aasheim et al., 1997, "Regulated Expression of the Eph-Related Receptor Tyrosine Kinase Hek11 in Early Human B Lymphopoiesis," Blood 90(9):3613-3622 |
| C03 | Abraham et al., 2003, "Overexpression of EphA2 in urinary bladder cancer," Proc. of the AACR, Vol. 44, Abstract 5381 |
| C04 | Abrahamsen et al., 1991, "Engineering subtilisin and its substrates for efficient ligation of peptide bonds in aqueous solution," Biochemistry 30(17):4151-4159 |
| C05 | Adler et al., 1992, "Platelet-activating factor provokes release of mucin-like glycoproteins from guinea pig respiratory epithelial cells via a lipoxygenase-dependent mechanism," Am. J. Respir. Cell Mol. Biol. 6(5):550-556 |
| C06 | Agre et al., 1983, "The human tumor cloning assay in cancer drug development," Investigational New Drugs 1(1):33-45 |
| C07 | Alves et al., 2003, "EphA2 as target of anticancer immunotherapy: Identification of HLA-A*0201-restricted epitopes," Cancer Research 63:8476-8480 |
| C08 | Andres et al., 1994, "Expression of two novel eph-related receptor protein tyrosine kinases in mammary gland development and carcinogenesis," Oncogene 9:1461-1467 |
| C09 | Angrist et al., 1995, "Chromosomal localization of the mouse src-like adapter protein (Slap) gene and its putative human homolog SLA," Genomics 30(3):623-625 |
| C10 | Bacus, 1989, "Biological grading of breast cancer using antibodies to proliferating cells and other markers," Am. J. Pathol. 135(5):783-792 |
| C11 | Badier-Commander, 2000, "Increased TIMP/MMP ratio in varicose veins: a possible explanation for extracellular matrix accumulation," J. Pathol. 192(1):105-112 |
| C12 | Bae et al., 1993, "Molecular and cellular analysis of basement membrane invasion by human breast cancer cells in Matrigel-based in vitro assays," Breast Cancer Res. Treat. 24(3):241-255 |
| C13 | Baggiolini et al., 1995, "Interleukin-8 and the chemokine family," Int. J. Immunopharmacol. 17(2):103-108 |
| C14 | Baggiolini et al., 1992, "Interleukin-8, a chemotactic and inflammatory cytokine," FEBS Lett. 307(1):97-101 |
| C15 | Bartley et al., 1994, "B61 is a ligand for the ECK receptor protein-tyrosine kinase," Nature 368(6471):558-560 |
| C16 | Baselga et al., 1998, "Recombinant humanized anti-HER2 antibody (Herceptin) enhances the antitumor activity of Paclitaxel and Doxorubicin against HER2/neu overexpression human breast cancer xenografts," Cancer Res. 58(13):2825-2831 |
| C17 | Becker et al., 1995, "Characterization of the SEK-1 receptor tyrosine kinase," FEBS Letters 368(2):353-357 |
| C18 | Beckmann et al., 1994, "Molecular characterization of a family of ligands for eph-related tyrosine kinase receptors," EMBO J. 13(16):3757-3762 |
| C19 | Behrens et al., 1994, "Cell-cell adhesion in invasion and metastasis of carcinomas," Mammary Tumorig. & Malig. Prog. 71:251-266 |
| C20 | Biervert et al., 2001, "Semiquantitative expression analysis of ephrine-receptor tyrosine kinase mRNA's in a rat model of traumatic brain injury," Neurosci. Lett. 315(2001):25-28 |
| C21 | Birchmeier, 1995, "E-cadherin as a tumor (invasion) suppressor gene," Bioessays 17(2):97-99 |
| C22 | Blanco et al., 2002, "Expression of EphA receptors and ligands during chick cerebellar development," Mech. Dev. 114(2002):225-229 |
| C23 | Bodansky et al., ed., 1993, Principles of Peptide Synthesis, Springer-Verlag Inc., New York, Cover Page, Publication page, and Table of Contents |
| C24 | Boerner et al., 1991, "Production of antigen-specific human monoclonal antibodies from in vitro-primed human splenocytes," J. Immunol. 147(1):86-95 |
| C25 | Bohme et al., 1993, "PCR mediated detection of a new human receptor-tyrosine-kinase, HEK 2," Oncogene 8(10):2857-2862 |
| C26 | Bovenkamp et al., 2001, "Degenerate PCR-based cloning method for Eph receptors and analysis of their expression in the developing murine central nervous system and vasculature," DNA Cell Biol. 20(4):203-213 |
| C27 | Bowie et al., 1990, "Deciphering the message in protein sequences: tolerance to amino acid substitutions," Science 247(4948):1306-1310 |
| C28 | Brady-Kalnay et al., 1998, "Dynamic interaction of PTP μ with multiple cadherins in vivo," J. Cell Biol. 141:287-296 |
| C29 | Brantley et al., 2002, "Soluble Eph A receptors inhibit tumor angiogenesis and progression in vivo," Oncogene 21(46):7011-7026 |
| C30 | Brodeur et al., 1987, "Mouse-human myeloma partners for the production of heterhybridomas," Monoclonal Antibody Production Techniques and Application 1987:51-63 |
| C31 | Bruggemann et al., 1993, "Designer mice: the production of human antibody repertoires in transgenic animals," Year Immunol. 7:33-40 |

| | |
|-----|--|
| C32 | Burgess et al., 1990, "Possible dissociation of the heparin-binding and mitogenic activities of heparin-binding (acidic fibroblast) growth factor-1 from its receptor-binding activities by site-directed mutagenesis of a single lysine residue," J. Cell Biol. 111(5 Pt 1):2129-2138 |
| C33 | Burridge et al., 1996, "Focal adhesions, contractility, and signaling," Ann. Rev. Cell Dev. Biol. 12:463-518 |
| C34 | Burridge et al., 1988, "Focal adhesions: transmembrane junctions between the extracellular matrix and the cytoskeleton," Ann. Rev. Cell. Dev. Biol. 4:487-525 |
| C35 | Bynum et al., 1999, "Development of class-switched, affinity-matured monoclonal antibodies following a 7-day immunization schedule," Hybridoma 18(5):407-411 |
| C36 | Campana et al., 1988, "Double and triple staining methods for studying the proliferative activity of human B and T lymphoid cells," J. Immunol. Methods 107(1):79-88 |
| C37 | Cance et al., 1995, "Protein kinases in human breast cancer," Breast Cancer Res. Treat. 35:105-114 |
| C38 | Carles-Kinch et al., 2002, "Antibody targeting of the EphA2 tyrosine kinase inhibits malignant cell behavior," Cancer Res. 62(10):2840-2847 |
| C39 | Carter et al., 2002, "Ephrin A1-induced cytoskeletal re-organization requires FAK and p130(cas)," Nat. Cell Biol. 4(8):565-573 |
| C40 | Carter et al., 1992, "Humanization of an anti-p185 ^{HER2} antibody for human cancer therapy," PNAS USA 89(10):4285-4289 |
| C41 | Chen et al., 1998, "An enhancer element in the EphA2 (Eck) gene sufficient for rhombomere-specific expression is activated by HOXA1 and HOXB1 homeobox proteins," J. Biol. Chem. 273(38):24670-24675 |
| C42 | Chen, 1996, "Effects of ectopic overexpression of p21(WAF1/CIP1) on aneuploidy and the malignant phenotype of human brain tumor cells," Oncogene 13(7):1395-1403 |
| C43 | Chen et al., 1996, "Germ-line inactivation of the murine Eck receptor tyrosine kinase by gene trap retroviral insertion," Oncogene 12(5):979-988 |
| C44 | Chen et al., 1994, "Integrin-mediated cell adhesion activates mitogen-activated protein kinases," J. Biol. Chem. 269:26602-26605 |
| C45 | Cheng et al., 2002, "The ephrins and Eph receptors in angiogenesis," Cytokine & Growth Factor Reviews 13(1):75-85 |
| C46 | Cheng et al., 2002, "Blockade of EphA receptor tyrosine kinase activation inhibits vascular endothelial cell growth factor-induced angiogenesis," Mol. Cancer Res. 1(1):2-11 |
| C47 | Chothia et al., 1987, "Canonical structures for the hypervariable regions of immunoglobulins," J. Mol. Biol. 196(4):901-917 |
| C48 | Clark et al., 1997, "The Ras-related protein Fheb is farnesylated and antagonizes Ras signaling and transformation," J. Biol. Chem. 272(16):10608-10615 |
| C49 | Clark et al., 1996, "Overexpression of the ras-related TC21/R-Ras2 protein may contribute to the development of human breast cancers," Oncogene 12:169-176 |
| C50 | Clark et al., 1995, "Aberrant function of the Ras signal transduction pathway in human breast cancer," Breast Cancer Res. Treat. 35(1):133-144 |
| C51 | Clark-Lewis et al., 1994, "Structural requirements for interleukin-8 function identified by design of analogs and CXC chemokine hybrids," J. Biol. Chem. 269(23):16075-16081 |
| C52 | Clark-Lewis et al., 1991, "Chemical synthesis, purification, and characterization of two inflammatory proteins, neutrophil activating peptide 1 (Interleukin-8) and neutrophil activating peptide 2," Biochem. 30(12):3128-3135 |
| C53 | Cohn et al., 1997, "Induction of airway mucus production By T helper 2 (Th2) cells: a critical role for interleukin 4 in cell recruitment but not mucus production," J. Exp. Med. 186(10):1737-1747 |
| C54 | Cole et al., 1985, Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, pp. 77 |
| C55 | Connor et al., 1998, "Expression and tyrosine phosphorylation of Eph receptors suggest multiple mechanisms in patterning of the visual system," Dev. Biol. 193(1):21-35 |
| C56 | Curti, 1993, "Physical barriers to drug delivery in tumors," Crit. Rev. Oncol. Hematol. 14(1):29-39 |
| C57 | D'Amico, 2001, "Predicting the sites of metastasis from lung cancer using molecular biologic markets," Ann. Thorac. Surg. 72:1144-1148 |
| C58 | Davis et al., 1994, "Ligands for EPH-related receptor tyrosine kinases that require membrane attachment or clustering for activity," Science 266(5186):816-819 |
| C59 | Dawson et al., 1994, "Synthesis of proteins by native chemical ligation," Science 266(5186):776-779 |
| C60 | Delia et al., 1997, "Dissociation between cell cycle arrest and apoptosis can occur in Li-Fraumeni cells heterozygous for p53 gene mutations," Oncogene 14(18):2137-2147 |
| C61 | deLisle et al., 1992, Techniques in Protein Chemistry IV, Academic Press, New York, pp. 257-267 |
| C62 | Dermer, 1994, "Another anniversary for the war on cancer," Biotechnol. 12 March 1994 |
| C63 | De Saint-Vis et al., 2003, "Human dendritic cells express neuronal Eph receptor tyrosine kinases: role of EphA2 in regulating adhesion to fibronectin," Blood 102(13):4431-4440 |
| C64 | DeVita et al., eds., 1997, "Principles of cancer management: Chemotherapy," Cancer: Principles and practice of oncology, 5 th ed., Lippincott-Raven, Philadelphia 333-347 |
| C65 | Dickson et al., 1995, "Growth factors in breast cancer," Endocrine Rev. 16(5):559-589 |

| | |
|------|---|
| C66 | Dohn et al., 2001, "Receptor tyrosine kinase EphA2 is regulated by p53-family proteins and induces apoptosis," <i>Oncogene</i> 20(45):6503-6515 |
| C67 | Duxbury et al., 2004, "Ligation of EphA2 by ephrin A1-Fc inhibits pancreatic adenocarcinoma cellular invasiveness," <i>Biochem. Biophys. Res. Comm.</i> 320:1096-1102 |
| C68 | Easty et al., 2000, "Protein tyrosine kinases in malignant melanoma," <i>Melanoma Res.</i> 10(5):401-411 |
| C69 | Easty et al., 1999, "Up-regulation of ephrin-A1 during melanoma progression," <i>Int. J. Cancer</i> 84(5):494-501 |
| C70 | Easty et al., 1997, "Loss of expression of receptor tyrosine kinase family genes PTKT and SEK in metastatic melanoma," <i>Int. J. Cancer</i> 71:1061-1065 |
| C71 | Easty et al., 1995, "Abnormal protein tyrosine kinase gene expression during melanoma progression and metastasis," <i>Intl. J. Cancer</i> 60(1):129-136 |
| C72 | Easty et al., 1995, "Protein B61 as a new growth factor: expression of B61 and upregulation of its receptor epithelial cell kinase during melanoma progression," <i>Cancer Res.</i> 55(12):2528-2532 |
| C73 | Easty et al., 1993, "Novel and known protein tyrosine kinases and their abnormal expression in human melanoma," <i>J. Invest. Dermatol.</i> 101(5):679-684 |
| C74 | Emerson, 2004, "Tanning before transplant: lancing the Langerhans cell," <i>Nat. Med.</i> 10(5):451-452 |
| C75 | Eph Nomenclature Comm., 1997, "Unified nomenclature for Eph family receptors and their ligands, the ephrins. Eph Nomenclature Committee," <i>Cell</i> 90(3):403-404 |
| C76 | Fahy et al., 1993, "Markers of mucus secretion and DNA levels in induced sputum from asthmatic and from healthy subjects," <i>Am. Rev. Respir. Dis.</i> 147(5):1132-1137 |
| C77 | Feldman et al., 2001, "Differential expression of matrix metalloproteinases after stent implantation and balloon angioplasty in the hypercholesterolemic rabbit," <i>Circulation</i> 103(25):3117-3122 |
| C78 | Feldman et al., 2000, "Interleukin-10 inhibits intimal hyperplasia after angioplasty or stent implantation in hypercholesterolemic rabbits," <i>Circulation</i> 101(8):908-916 |
| C79 | Fenrick, 2000, "TEL, a putative tumor suppressor, modulates cell growth and cell morphology of ras-transformed cells while repressing the transcription of stromelysin-1," <i>Mol. Cell. Biol.</i> 20(16):5828-5839 |
| C80 | Ferrone et al., eds., 1985, <i>Handbook of Monoclonal Antibodies</i> Noges Publications, Park Ridge, NJ Ch. 22 and pp. 303-357 |
| C81 | Fidler, 1997, "Molecular biology of cancer: Invasion and metastasis," in: <i>Cancer: Principles and Practice of Oncology</i> , DeVita et al., eds., Philadelphia: Lippincott-Raven pp. 135-152 |
| C82 | Foulkes et al., 1985, "Purification and characterization of a protein-tyrosine kinase encoded by the Abelson murine leukemia virus," <i>J. Biol. Chem.</i> 260(13):8070-8077 |
| C83 | Fox et al., 1995, "cDNA cloning and tissue distribution of five human EPH-like receptor protein-tyrosine kinases," <i>Oncogene</i> 10(5):897-905 |
| C84 | Freshney, 1983, <i>Culture of Animal Cells: A Manual of Basic Technique</i> , Alan R. Liss, Inc., New York, pp. 4 |
| C85 | Frisch, 1997, "Integrins and anoikis," <i>Curr. Opin. Cell Biol.</i> 9(5):701-706 |
| C86 | Fry et al., 1995, "Inhibitors of protein tyrosine kinases," <i>Curr. Opin. Biotechnol.</i> 6(6):662-667 |
| C87 | Gale et al., 1997, "Ephrins and their receptors: a repulsive topic?" <i>Cell Tissue Res.</i> 290(2):227-241 |
| C88 | Gale et al., 1996, "Eph receptors and ligands comprise two major specificity subclasses and are reciprocally compartmentalized embryogenesis," <i>Neuron</i> 17:9-19 |
| C89 | Ganju et al., 1994, "The Eck receptor tyrosine kinase is implicated in pattern formation during gastrulation, hindbrain segmentation and limb development," <i>Oncogene</i> 9(6):1613-1624 |
| C90 | Geiger et al., 1992, "Cadherins," <i>Ann. Rev. Cell. Biol.</i> 8:307-332 |
| C91 | Genzyme-Techne Corporation, Recombinant Mouse Ephrin-A1/Fc, Catalog number: 3602, March 11, 2003 |
| C92 | George et al., 1998, "The VAB-1 Eph receptor tyrosine kinase functions in neural and epithelial morphogenesis in <i>C. elegans</i> ," <i>Cell</i> 92:633-643 |
| C93 | Giunciuglio et al., 1995, "Invasive phenotype of MCF10A cells overexpressing c-Ha-ras and c-erb-2 oncogenes," <i>Intl. J. Cancer</i> 63(6):815-822 |
| C94 | Glenney et al., 1989, "Novel tyrosine kinase substrates from rous sarcoma virus-transformed cells are present in the membrane skeleton," <i>J. Cell Biol.</i> 108(6):2401-2408 |
| C95 | Goding, 1986, <i>Monoclonal Antibodies: Principles and Practice</i> , Academic Press, pp. 59-103 |
| C96 | Gousse et al., 2000, "Current investigations and treatment of interstitial cystitis," <i>Curr. Urol. Rep.</i> 1(3):190-198 |
| C97 | Grant, 1992, <i>Synthetic Peptides: A User Guide</i> , W.H. Freeman and Co., New York, Cover Page, Publication Page, and Table of Contents |
| C98 | Gura, 1997, "Systems for identifying new drugs are often faulty," <i>Science</i> 278(5340):1041-1042 |
| C99 | Gussow et al., 1991, "Humanization of monoclonal antibodies," <i>Methods Enzymol.</i> 203:99-121 |
| C100 | Hamburger, 1987, "The human tumor clonogenic assay as a model system in cell biology," <i>Int. J. Cell Cloning</i> 5(2):89-107 |
| C101 | Hanahan et al., 2000, "The hallmarks of cancer," <i>Cell</i> 100:57-70 |

| | |
|------|--|
| C102 | Harlow et al., 1988, Antibodies, A Laboratory Manual, Cold Spring Harbor Publications, New York |
| C103 | Harper et al., 1993, "The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases," Cell 75(4):805-816 |
| C104 | Hartwell et al., 1997, "Integrating genetic approaches into the discovery of anticancer drugs," Science 278(5340):1064-1068 |
| C105 | Hein, 1999, "Regulation of cell signaling induced by the cell adhesion molecule, E-cadherin," Ph.D. thesis, Purdue University, 94 pages, Cover Date August 1999 |
| C106 | Helbling et al., 1998, "Requirement for EphA receptor signaling in the segregation of Xenopus third and fourth arch neural crest cells," Mech. Dev. 78(1998):63-79 |
| C107 | Henkemeyer et al., 1996, "Nuk controls pathfinding of commissural axons in the mammalian central nervous system," Cell 86:35-46 |
| C108 | Henson, 1999, "Molecular and genetic targets in early detection," Curr. Opin. Oncol. 11(5):419-425 |
| C109 | Hess et al., 2001, "Molecular regulation of tumor cell vasculogenic mimicry by tyrosine phosphorylation: Role of epithelial cell kinase (ECK/EphA2)," Cancer Res. 61:3250-3255 |
| C110 | Hill, 1992, The Basic Science of Technology, Tannock et al., eds., McGraw Hill, NY Chapter 11, pp. 178-195 |
| C111 | Holder et al., 1999, "Eph receptors and ephrins: effectors of morphogenesis," Development 126(10):2033-2044 |
| C112 | Holgate et al., 1999, "The bronchial epithelium as a key regulator of airway inflammation and remodelling in asthma," Clin. Exp. Allergy 29 Suppl 2:90-95 |
| C113 | Holland et al., 1998, "Cell-contact-dependent signaling in axon growth and guidance: Eph receptor tyrosine kinases and receptor protein tyrosine phosphatase beta," Curr. Opin. Neurobiol. 8:117-127 |
| C114 | Hoogenboom et al., 1992, "Bypassing immunisation human antibodies from synthetic repertoires of germline V _H gene segments rearranged in vitro," J. Mol. Biol. 227(2):381-388 (or 1991) |
| C115 | Hoshino et al., 1986, "S-phase fraction of human brain tumors in situ measured by uptake of bromodeoxyuridine," Int. J. Cancer 38(3):369-374 |
| C116 | Hu et al., 2003, "Antibody targeting of the EphA2 receptor tyrosine kinase on breast cancer cells," Proc. Am. Assoc. Cancer Res. Vol. 44 Abstract 6178 |
| C117 | Huai et al., 2000, "Investigation of a possible receptor function of ephrina ligands," European J. Neurosci. 12:179 |
| C118 | Hudziak et al., 1989, "p185 ^{HER2} monoclonal antibody has antiproliferative effects in vitro and sensitizes human breast tumor cells to tumor necrosis factor," Mol. Cell. Biol. 9(3):1165-1172 |
| C119 | Hunter, 1997, "Oncoprotein networks," Cell 88:333-346 |
| C120 | Hunter et al., 1992, "Receptor protein tyrosine kinases and phosphatases," Cold Spring Harbor Symp. Quant. Biol. 57:25-41 |
| C121 | Hunter et al., 1990, "Novel receptor protein-tyrosine kinases," Adv. Second Messenger Phosphoprotein Res. 24:260-265 |
| C122 | Hutchcroft, 1991, "B lymphocyte activation is accompanied by phosphorylation of a 72-kDa protein-tyrosine kinase," J. Biol. Chem. 266(23):14846-14849 |
| C123 | Jain, 1994, "Barriers to drug delivery in solid tumors," Sci. Am. 271(1):58-65 |
| C124 | Jakobovits et al., 1993, "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy chain joining region blocks B-cell development and antibody production," PNAS USA 90(6):2551-2555 |
| C125 | Jakobovits et al., "Germ-like transmission and expression of a human-derived yeast artificial chromosome," Nature 362(6417):255-258 |
| C126 | Jeoung, 1995, "Effects of tumor necrosis factor-alpha on antimitogenicity and cell cycle-related proteins in MCF-7 cells," J. Biol. Chem. 270(31):18367-18373 |
| C127 | Johnson et al., 1997, "Development of a humanized monoclonal antibody (MEDI-493) with potent in vitro and in vivo activity against respiratory syncytial virus," J. Infect. Dis. 176(5):1215-1224 |
| C128 | Jones, 1986, "Replacing the complementary-determining regions in a human antibody with those from a mouse," Nature 321:522-525 |
| C129 | Kabat et al., 1987, "Sequences of proteins of immunological interest," National Institutes of Health, Bethesda, MD |
| C130 | Kahn et al., 1984, "Immunohistochemical localization of epidermal and Mallory body cytokeratin in undifferentiated epithelial tumors. Comparison with ultrastructural features," Am. J. Clin. Pathol. 81(2):184-191 |
| C131 | Kanner et al., 1990, "Monoclonal antibodies to individual tyrosine-phosphorylated protein substrates of oncogene-encoded tyrosine kinases," PNAS USA 87(9):3328-3332 |
| C132 | Kataoka et al., 2002, "Expression profile of EFNB1, EFNB2, two ligands of EPHB2 in human gastric cancer," J Cancer Res Clin Oncol. 128(7):343-348 |
| C133 | Karam et al., 2002, "EphA4 is not required for Purkinje cell compartmentation," Brain Res. Dev. Brain Res. 135(1-2):29-38 |
| C134 | Kawai et al., 1995, "Kinetics of gastric epithelial cells in duodenal ulcer: local environmental factors controlling the proliferation and differentiation of gastric epithelial cells," J. Gastroenterol. 30(3):428-436 |
| C135 | Keay et al., 2001, "Sensitivity and specificity of antiproliferative factor, heparin-binding epidermal growth factor-like growth factor, and epidermal growth factor as urine markers for interstitial cystitis," Urology 57(6 Suppl 1):9-14 |
| C136 | Keely et al., 1998, "Integrins and GTPases in tumor cell growth, motility and invasion," Trends Cell Biol. 8(3):101-106 |

| | |
|------|---|
| C137 | Kerr et al., ed., 1994, LabFax Immunochemistry 115, 157, 191-197 |
| C138 | Khosravi-Far et al., 1995, "Activation of Rac1, RhoA, and mitogen-activated protein kinases is required for Ras transformation," Mol. Cell. Biol. 15(11):6443-6453 |
| C139 | Kikawa et al., 2003, "Inhibition of the activity of the low molecular weight tyrosine phosphatase reduces the transformed phenotype of malignant cells," Proc. Am. Assoc. Cancer Res. Vol. 44, Abstract 1447 |
| C140 | Kikawa et al., 2002, "Regulation of the EphA2 kinase by the low molecular weight tyrosine phosphatase induces transformation," J. Biol. Chem. 277(42):39274-39279 |
| C141 | Kilpatrick et al., 2000, "High affinity monoclonal antibodies to PED/PEA-15 generated using 5 µg of DNA," Hybridoma 19(4):297-302 |
| C142 | Kilpatrick et al., 1998, "Gene gun delivered DNA-based immunizations mediate rapid production of murine monoclonal antibodies to the Flt-3 receptor," Hybridoma 17(6):569-576 |
| C143 | Kilpatrick et al., 1997, "Rapid development of affinity matured monoclonal antibodies using RIMMS," Hybridoma 16(4):381-389 |
| C144 | Kim et al., 1989, "Mechanisms of airway goblet cell mucin release: studies with cultured tracheal surface epithelial cells," Am. J. Respir. Cell Mol. Biol. 1(2):137-143 |
| C145 | Kim et al., 1989, "Secretions from primary hamster tracheal surface epithelial cells in culture: mucin-like glycoproteins, proteoglycans, and lipids," Exp. Lung Res. 15(2):299-314 |
| C146 | Kim et al., 1987, "Human neutrophil elastase releases cell surface mucins from primary cultures of hamster tracheal epithelial cells," Proc. Natl. Acad. Sci. USA 84(24):9304-9308 |
| C147 | Kim et al., 1985, "Biochemical characterization of mucous glycoproteins synthesized and secreted by hamster tracheal epithelial cells in primary culture," J. Biol. Chem. 260(7):4021-4027 |
| C148 | Kinch et al., 2003, "Epitope targeting of EphA2: New opportunities for selective killing of tumor cells," Proc. Am. Assoc. Cancer Res. Vol. 44, Abstract 5616 |
| C149 | Kinch et al., 2003, "Overexpression and functional alterations of the EphA2 tyrosine kinase in cancer," Clin. & Exp. Metastasis 20:59-68 |
| C150 | Kinch et al., 2003, "Predictive value of the EphA2 receptor tyrosine kinase in lung cancer recurrence and survival," Clin. Cancer Res. 9(2):613-618 |
| C151 | Kinch et al., 2002, "Antibody targeting of the EphA2 tyrosine kinase inhibits malignant cell behavior," Cancer Res. 62(10):2840-2847 |
| C152 | Kinch et al., 2000, "Cytometric analysis of cell contact and adhesion," Methods in Cell Biol., Vol. 63: Cytometry, Darzynkiewicz et al., eds., 3 rd ed., Academic Press, San Diego, CA Ch. 28, pp. 599-612 |
| C153 | Kinch et al., 1998, "Identification of tyrosine phosphorylated adhesion proteins in human cancer cells," Hybridoma 17:227-235 |
| C154 | Kinch et al., 1997, "E-cadherin engagement stimulates tyrosine phosphorylation," Cell Adhes. Commun. 4:425-437 |
| C155 | Kinch et al., 1995, "Altered adhesions in ras-transformed breast epithelial cells," Biochem. Soc. Trans. 23:446-450 |
| C156 | Kinch et al., 1995, "Tyrosine phosphorylation regulates the adhesions of ras-transformed breast epithelial cells," J. Cell. Biol. 130:461-471 |
| C157 | Kinch et al., 1994, "The protein tyrosine kinase p56 ^{lck} regulates cell adhesion mediated by CD4 and MHC class II proteins," J. Exp. Med. 180:1729-1739 |
| C158 | Kinch et al., 1993, "Cell adhesion mediated by CD4 and MHC class II proteins requires active cellular processes," J. Immunol. 151:4552-4561 |
| C159 | Kirk et al., 1993, "The human anti-porcine cell mediated response: in vitro studies of function and molecular interaction," Transplant. 55(4):924-931 |
| C160 | Klinnert et al., 2001, "Onset and persistence of childhood asthma: predictors from infancy," Pediatrics 108(4):E69 |
| C161 | Kohler et al., 1975, "Continuous culture of fused cells secreting antibody of predefined specificity," Nature 256(5517):495-497 |
| C162 | Kondapaka et al., 1996, "Tyrosine kinase inhibitor as a novel signal transduction and antiproliferative agent: prostate cancer," Mol. and Cell. Endocrinol. 117:53-58 |
| C163 | Koolpe et al., 2002, "An ephrin mimetic peptide that selectively targets the EphA2 receptor," J. Biol. Chem. 277(49):46974-46979 |
| C164 | Kozbor et al., 1984, "A human hybrid myeloma for production of human monoclonal antibodies," J. Immunol. 133(6):3001-3005 |
| C165 | Kozlosky et al., 1995, "Ligands for the receptor tyrosine kinases hek and elk: isolation of cDNAs encoding a family of proteins," Oncogene 10(2):299-306 |
| C166 | Kratchmarova et al., 2001, "Characterization of promoter region and genomic structure of the murine and human genes encoding Src like adapter protein," Gene 262(1-2):267-273 |
| C167 | Kuperman et al., 2002, "Direct effects of interleukin-13 on epithelial cells cause airway hyperreactivity and mucus overproduction in asthma," Nat. Med. 8(8):885-889 Epub 2002 Jul 01 |
| C168 | Lai et al., 2001, "Expression of Eph receptors in skeletal muscle and their localization at the neuromuscular junction," Mol. Cell. Neurosci. 17(6):1034-1047 |
| C169 | Larrick et al., 1985, Human Hybridomas and Monoclonal Antibodies, Engleman and Foug, eds., 8-9 |
| C170 | Lawrence, 1996, "Mechanisms of tumor invasion and metastasis," World J. Urol. 14(3):124-130 |

| | |
|------|--|
| C171 | Lazar et al., 1988, "Transforming growth factor alpha: mutation of aspartic acid 47 and leucine 48 results in different biological activities," <i>Mol. Cell. Biol.</i> 8(3):1247-1252 |
| C172 | Levitzi, 1995, "Tyrosine kinase inhibition: An approach to drug development," <i>Science</i> 267:1782-1788 |
| C173 | Lewis et al., 1993, "Differential responses of human tumor cell lines to anti-p185 ^{HER2} monoclonal antibodies," <i>Cancer Immunol. Immunother.</i> 37(4):255-263 |
| C174 | Li et al., 2003, "EphA2 up-regulation induced by deoxycholic acid in human colon carcinoma cells, an involvement of extracellular signal-regulated kinase and p53-independence," <i>J. Cancer Res. Clin. Oncol.</i> 129(12):703-708 Epub 2003 Oct 15 |
| C175 | Li et al., 1996, "Subcellular distribution of p21 and PCNA in normal and repair-deficient cells following DNA damage," <i>Curr. Biol.</i> 6(2):189-199 |
| C176 | Lickliter et al., 1996, "Embryonic stem cells express multiple Eph-subfamily receptor tyrosine kinases," <i>PNAS USA</i> 93(1):145-150 |
| C177 | Lindberg et al., 1990, "cDNA cloning and characterization of eck, an epithelial cell receptor protein-tyrosine kinase in the eph/elk family of protein kinases," <i>Mol. Cell Biol.</i> 10(12):6316-6324 |
| C178 | Lukacs et al., 2001, "Respiratory syncytial virus predisposes mice to augmented allergic airway responses via IL-13-mediated mechanisms," <i>J. Immunol.</i> 167(2):1060-1065 |
| C179 | Malik et al., 1996, "Integrin-mediated signaling in normal and malignant cells: a role of protein tyrosine kinases," <i>Biochimica et Biophysica Acta</i> 1287:73-76 |
| C180 | Marks et al., 1991, "Bypassing immunization. Human antibodies from V-gene libraries displayed on phage," <i>J. Mol. Biol.</i> 222(3):581-597 |
| C181 | Martone et al., 1997, "Immunolocalization of the receptor tyrosine kinase EphA4 in the adult rat central nervous system," <i>Brain Res.</i> 771(2):238-250 |
| C182 | Maru et al., 1990, "Overexpression confers an oncogenic potential upon the eph gene," <i>Oncogene</i> 5:445-447 |
| C183 | McBride et al., 1998, "Ephrin-A1 is expressed at sites of vascular development in the mouse," <i>Mech. Dev.</i> 77(2):201-204 Abstract |
| C184 | McLaughlin, 1999, "Functional consequences of coincident expression of EphA receptors and ephrin-A ligands," <i>Neuron</i> 22(4):636-639 |
| C185 | Merad et al., 2004, "Depletion of host Langerhans cells before transplantation of donor alloreactive T cells prevents skin graft-versus-host disease," <i>Nat. Med.</i> 10(5):510-517 |
| C186 | Message and Johnston, 2002, "Viruses in asthma," <i>Br. Med. Bull.</i> 61:29-43 |
| C187 | Miao et al., 2000, "Activation of EphA2 kinase suppresses integrin function and causes focal-adhesion-kinase dephosphorylation," <i>Nat. Cell. Biol.</i> 2(2):62-69 |
| C188 | Michael et al., 1999, "Efficient gene-specific expression of cre recombinase in the mouse embryo by targeted insertion of a novel IRES-Cre cassette into endogenous loci," <i>Mech. Dev.</i> 85(1-2):35-47 |
| C189 | Miller et al., 1999, "The engagement of β_1 integrins on promonocytic cells promotes phosphorylation of Syk and formation of a protein complex containing Lyn and β_1 integrin," <i>Eur. J. Immunol.</i> 29(5):1426-1434 |
| C190 | Miller et al., 1993, "Xenograft model of progressive human proliferative breast disease," <i>J. Natl. Cancer Instit.</i> 85(21):1725-1732 |
| C191 | Miyazaki et al., 2003, "EphA2 overexpression correlates with poor prognosis in esophageal squamous cell carcinoma," <i>Int. J. Cancer</i> 103(5):657-663 |
| C192 | Morrison et al., 1984, "Chimeric human antibody molecules: Mouse antigen-binding domains with human constant region domains," <i>PNAS USA</i> 81:6851-6855 |
| C193 | Muhlbauer et al., 1999, Abstract "Detection of melanoma cells in the blood of melanoma patients by melanoma-inhibitory activity (MIA) reverse transcription-PCR," <i>Clinical Cancer Research</i> 5(5):1099-1105 |
| C194 | Munson et al., 1980, "Ligand: A versatile computerized approach for characterization of ligand-binding systems," <i>Anal. Biochem.</i> 107(1):220-239 |
| C195 | Murphy et al., 1988, "Epidermal growth factor gene expression in human breast cancer cells: regulation of expression by progestins," <i>Cancer Res.</i> 48(16):4555-4560 |
| C196 | Munthe et al., 2004, "Expression and functional effects of Eph receptor tyrosine kinase A family members on Langerhans like dendritic cells," <i>BMC Immunol.</i> 5(1):9 |
| C197 | Nakamoto et al., 2002, "Diverse roles for the Eph family of receptor kinases in carcinogenesis," <i>Microsc. Res. Tech.</i> 59(1):58-67 |
| C198 | Nakamoto et al., 2000, "Eph receptors and ephrins," <i>Intl. J. Biochem. Cell Biol.</i> 32(1):7-12 |
| C199 | Naruse-Nakajima et al., 2001, "Involvement of EphA2 in the formation of the tail notochord via interaction with ephrinA1," <i>Mech. Dev.</i> 102(1-2):95-105 |
| C200 | NCBI Locus Link search for "B61" performed Nov. 24, 2003 http://www.ncbi.nlm.nih.gov/LocusLink/list.cgi |
| C201 | Nemoto et al., 1997, "Overexpression of protein tyrosine kinases in human esophageal cancer," <i>Pathobiology</i> 65:195-203 |
| C202 | New England Biolabs Product Catalog, 1996, p. 164 |
| C203 | Nishida et al., 2002, "Domain specific olivocerebellar projection regulated by the EphA-ephrin-A interaction," <i>Development</i> 129(24): 5647-5658 |
| C204 | Noren et al., 2004, "Eph receptor-ephrin bidirectional signals that target Ras and Rho proteins," <i>Cellular Signalling</i> |

| | | |
|--|------|---|
| | | 16(6):655-666 |
| | C205 | Nose et al., 1988, "Expressed recombinant cadherins mediate cell sorting in model systems," <i>Cell</i> 54(7):993-1001 |
| | C206 | Nowakowski et al., 2002, "Structures of the cancer-related aurora-A, FAK, and EphA2 protein kinases from nanovolume crystallography," <i>Structure</i> 10(12):1659-1667 |
| | C207 | Oberpenning et al., 2002, "Interstitial cystitis: an update," <i>Curr. Opin. Urol.</i> 12(4):321-332 |
| | C208 | O'Brien et al., 1997, "A mechanism for trabecular meshwork cell retraction: ethacrynic acid initiates the dephosphorylation of focal adhesion proteins," <i>Exp. Eye Res.</i> 65(4):471-483 |
| | C209 | Oettgen et al., 1991, "The history of cancer immunotherapy," in <i>Biologic Therapy of Cancer</i> , Devita et al., eds., Lippincott, Philadelphia, Chapter 6, pp. 87-119 |
| | C210 | Ogawa et al., 2000, "The ephrin-A1 ligand and its receptor, EphA2, are expressed during tumor neovascularization," <i>Oncogene</i> 19(52):6043-6052 |
| | C211 | Ohta et al., 1996, "The receptor tyrosine kinase, Cdk8, is transiently expressed on subtypes of motoneurons in the spinal cord during development," <i>Mechanisms Devel.</i> 54(1):59-69 |
| | C212 | Online Medical Dictionary, Published at the Dept. of Medical Oncology, University of Newcastle upon Tyne published on 11/18/97, [retrieved on 7/31/02] retrieved from the internet: < http://www.medical-dictionary.com > |
| | C213 | Orsulic et al., 2000, "Expression of Eph receptors and ephrins is differentially regulated by E-cadherin," <i>J. Cell. Sci.</i> 113(Pt. 10):1793-1802 |
| | C214 | Oslo et al., 1980, <i>Remington's Pharmaceutical Science</i> , 16 th ed., Mack Publishing Co. |
| | C215 | Owens et al., 1995, "Overexpression of focal adhesion kinase (p125 ^{FAK}) in invasive human tumors," <i>Cancer Res.</i> 55(13):2752-2755 |
| | C216 | Ozawa et al., 1990, "A possible new adhesive site in the cell-adhesion molecule uvomorulin," <i>Mech. Dev.</i> 33(1):49-56 |
| | C217 | Paine et al., 1992, "Characterization of epithelial phenotypes in mortal and immortal human breast cells," <i>Int. J. Cancer</i> 50(3):463-473 |
| | C218 | Pandey et al., 1995, "Characterization of a novel src-like adapter protein that associates with the Eck receptor tyrosine kinase," <i>J. Biol. Chem.</i> 270(33):19201-19204 |
| | C219 | Pandey et al., 1995, "Role of B61, the ligand for the Exk receptor tyrosine kinase, in TNF- α -induced angiogenesis," <i>Science</i> 268:567-569 |
| | C220 | Pandey et al., 1994, "Activation of the Eck receptor protein tyrosine kinase stimulates phosphatidylinositol 3-kinase activity," <i>J. Biol. Chem.</i> 269(48):30154-30157 |
| | C221 | Pardue, 1994, "Looking at polytene chromosomes," <i>Methods Cell Biol.</i> 44:333-351 |
| | C222 | Parsons, 1996, "Integrin-mediated signaling: regulation by protein tyrosine kinases and small GTP-binding proteins," <i>Curr. Opin. Cell Biol.</i> 8(2):146-152 |
| | C223 | Parsons, 1993, "Protein-tyrosine kinases, oncogenes, and cancer," <i>Important Adv. Oncol.</i> pp. 3-17 |
| | C224 | Pasquale et al., 1997, "The Eph family of receptors," <i>Curr. Opin. Cell Biol.</i> 9(5):608-615 |
| | C225 | Patarca, 1996, "Protein phosphorylation and dephosphorylation in physiologic and oncologic processes," <i>Crit. Rev. Oncogenesis</i> 7(5-6):343-432 |
| | C226 | Pauley et al., 1993, "The MCF10 family of spontaneously immortalized human breast epithelial cell lines: models of neoplastic progression," <i>Eur. J. Cancer Prev.</i> 2 Suppl 3:67-76 |
| | C227 | Pegram et al., 1998, "HER-2/neu as a predictive marker of response to breast cancer therapy," <i>Breast Cancer Res. Treat.</i> 52(1-3):65-77 |
| | C228 | Pegram et al., 1997, "Antibody dependent cell-mediated cytotoxicity in breast cancer patients in Phase III clinical trials of a humanized anti-HER2 antibody," <i>Proc. Am. Assoc. Cancer Res.</i> 38:602 |
| | C229 | Potla et al., 2002, "Reduced expression of ephrinA1 (EFNA1) inhibits three-dimensional growth of HT29 colon carcinoma cells," <i>Cancer Lett.</i> 175(2):187-195 |
| | C230 | Pratt et al., 2002, "Activation of the EphA2 tyrosine kinase stimulates the MAP/ERK kinase signaling cascade," <i>Oncogene</i> 21(50):7690-7699 |
| | C231 | Press et al., 1990, "HER-2/neu oncogene amplification and expression in breast and ovarian cancers," <i>Prog. Clin. & Biol. Res.</i> 354A:209-221 |
| | C232 | Presta, 1992, "Antibody engineering," <i>Current Op. Struct. Biol.</i> 2:593-596 |
| | C233 | Price, 1994, "Analysing the metastatic phenotype," <i>J. Cell Biochem.</i> 56(1):16-22 |
| | C234 | Price, 1996, "Metastasis from human breast cancer cell lines," <i>Breast Cancer Res. Treat.</i> 39(1):93-102 |
| | C235 | Rajaratnam et al., 1994, "1H NMR studies of interleukin 8 analogs: characterization of the domains essential for function," <i>Biochemistry</i> 33(21):6623-6630 |
| | C236 | Ratner, 2001, "Interstitial cystitis: a chronic inflammatory bladder condition," <i>World J. Urol.</i> 19(3):157-159 |
| | C237 | R&D Systems, 2002, "Recombinant mouse ephrin-A1/Fc chimera," Catalog Number: 602-A1, April 30, 2002 |
| | C238 | Rhim et al., 1997, "Human prostate carcinogenesis," <i>Crit. Rev. Oncog.</i> 8(4):305-328 |
| | C239 | Riechmann et al., 1988, "Reshaping human antibodies for therapy," <i>Nature</i> 332(6162):323-327 |

| | |
|------|--|
| C240 | Roche et al., 1998, "Src-like adaptor protein (Slap) is a negative regulator of mitogenesis," <i>Curr. Biol.</i> 8(17):975-978 |
| C241 | Rosenberg et al., 1997, "Epithelial cell kinase-B61: an autocrine loop modulating intestinal epithelial migration and barrier function," <i>Am. J. Physiol.</i> 273(4 Pt 1):G824-832 |
| C242 | Rosenberg, 1997, "Principles of cancer management: surgical oncology," <i>Cancer: Principles and Practice of Oncology</i> , 5 th ed., V.T. Devita, Jr. et al., eds., Lippincott-Raven, Philadelphia, Cover page, Table of Contents, and pp. 295-306 |
| C243 | Rudikoff et al., 1982, "Single amino acid substitution altering antigen-binding specificity," <i>PNAS USA</i> 79(6):1979-1983 |
| C244 | Ruiz et al., 1994, "The expression of the receptor-protein tyrosine kinase gene, eck, is highly restricted during early mouse development," <i>Mech. Dev.</i> 46(2):87-100 |
| C245 | Ruoslahti, 1994, "Cell adhesion and tumor metastasis," <i>Princess Takamatsu Symp.</i> 24:99-105 |
| C246 | Ruoslahti, 1999, "Fibronectin and its integrin receptors in cancer," <i>Advances in Cancer Res.</i> 76:1-20 |
| C247 | Sarosdy et al., 1983, "Prediction of response to cancer chemotherapy," <i>Drugs</i> 26(5):454-459 |
| C248 | Schlaepfer et al., 1996, "Signal transduction from the extracellular matrix-a-role for the focal adhesion protein-tyrosine kinase FAK," <i>Cell Structure Function</i> 21(5):445-450 |
| C249 | Schnolzer et al., 1992, "Constructing proteins by dovetailing unprotected synthetic peptides: backbone-engineered HIV protease," <i>Science</i> 256(5054):221-225 |
| C250 | Scully et al., 1999, "Isolation and characterization of Dek, a Drosophila eph receptor protein tyrosine kinase," <i>Mol Cell Neuro</i> 13(5):337-347 |
| C251 | Shak, 1999, "Overview of the trastuzumab (Herceptin) anti-HER2 monoclonal antibody clinical program in HER2-overexpressing metastatic breast cancer. Herceptin Multinational Investigator Study Group," <i>Semin. Oncol.</i> 26(4 Suppl 12):71-77 |
| C252 | Sigurs, 2002, "Clinical perspectives on the association between respiratory syncytial virus and reactive airway disease," <i>Respir. Res.</i> 3 Suppl 1:S8-S14 Epub 2002 Jun 24 |
| C253 | Sigurs et al., 2000, "Respiratory syncytial virus bronchiolitis in infancy is an important risk factor for asthma and allergy at age 7," <i>Am. J. Respir. Crit. Care Meth.</i> 161:1501-1507 |
| C254 | Sims et al., 1993, "A humanized CD18 antibody can block function without cell destruction," <i>J. Immunol.</i> 151(4):2296 |
| C255 | Slamon et al., 1989, "Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer," <i>Science</i> 244(4905):707-712 |
| C256 | Sliwkowski et al., 1999, "Nonclinical studies addressing the mechanism of action of trastuzumab (Herceptin)," <i>Semin. Oncol.</i> 26(4 Suppl 12):60-70 |
| C257 | Smith et al., 1977, "Cardiac glycoside-specific antibodies in the treatment of digitalis intoxication," <i>Antibodies in Human Diagnosis and Therapy</i> pp. 365-389 |
| C258 | Southern et al., 1982, "Transformation of mammalian cells to antibiotic resistance with a bacterial gene under control of the SV40 early region promoter," <i>J. Mol. Appl. Genet.</i> 1(4):327-341 |
| C259 | Stearns et al., 1998, "Workgroup 2: human xenograft models of prostate cancer," <i>Prostate</i> 36(1):56-58 |
| C260 | Steeg et al., 1996, "Molecular analysis of premalignant and carcinoma in situ lesions of the human breast," <i>Am. J. Pathol.</i> 149(3):733-738 |
| C261 | Steiger et al., 1995, "Concurrent increases in the storage and release of mucin-like molecules by rat airway epithelial cells in response to bacterial endotoxin," <i>Am. J. Respir. Cell Mol. Biol.</i> 12(3):307-314 |
| C262 | Stein et al., 1998, "Eph receptors discriminate specific ligand oligomers to determine alternative signaling complexes, attachment, and assembly responses," <i>Genes Dev.</i> 12(5):667-678 |
| C263 | Stein et al., 1998, "Nck recruitment to Eh receptor, EphB1/ELK couples ligand activation to c-JUN kinase," <i>J. Biol. Chem.</i> 273(3):1303-1308 |
| C264 | Straume et al., 2002, "Importance of vascular phenotype by basic fibroblast growth factor, and influence of the angiogenic factors basic fibroblast growth factor/fibroblast growth factor receptor-1 and ephrin-A1/EphA2 on melanoma progression," <i>Am. J. Pathol.</i> 160(3):1009-1019 |
| C265 | Studer et al., 1998, "Genetic interactions between Hoxa1 and Hoxb1 reveal new roles in regulation of early hindbrain patterning," <i>Development</i> 125(6):1025-1036 |
| C266 | Sulman et al., 1997, "ECK, a human EPH-related gene, maps to 1p36.1, a common region of alteration in human cancers," <i>Genomics</i> 40(2):371-374 |
| C267 | Sundar et al., 2003, "Pulmonary Langerhans cell histiocytosis: emerging concepts in pathobiology, radiology, and clinical evolution of disease," <i>Chest</i> 123(5):1673-1683 |
| C268 | Szelenyi et al., 2001, "Animal models of chronic obstructive pulmonary disease," <i>Arzneimittelforschung</i> 51(12):1004-1014 |
| C269 | Tang et al., 1995, "cDNA cloning, molecular characterization, and chromosomal localization of NET(EPHT2), a human EPH-related receptor protein-tyrosine kinase gene preferentially expressed in brain," <i>Genomics</i> 29(2):426-437 |
| C270 | Tazi et al., 1999, "Evidence that Langerhans cells in adult pulmonary Langerhans cell histiocytosis are mature dendritic cells: importance of the cytokine microenvironment," <i>J. Immunol.</i> 163(6):3511-3515 |
| C271 | Temann et al., 1997, "A novel role for murine IL-4 in vivo: induction of MUC5AC gene expression and mucin hypersecretion," <i>Am. J. Respir. Cell. Mol. Biol.</i> 16(4):471-478 |

| | |
|------|--|
| C272 | Thaker et al., 2003, "EphA2 expression is associated with aggressive features in ovarian carcinoma," Proc. of the AACR, Vol. 44, Abstract 472 |
| C273 | Tlsty, 1998, "Cell-adhesion-dependent influences in genomic instability and carcinogenesis," Curr. Opin. Cell Biol. 10:647-653 |
| C274 | Turner et al., 1998, "Treatment of human prostate cancer cells with dolastatin 10, a peptide isolated from a marine shell-less mollusc," Prostate 34(3):175-181 |
| C275 | Van der Geer et al., 1994, "Receptor protein-tyrosine kinases and their signal transduction pathways," Ann. Rev. Cell Biol. 10:251-337 |
| C276 | Varelias et al., 2002, "Human osteosarcoma expresses specific ephrin profiles: implications for tumorigenicity and prognosis," Cancer 95(4):862-869 |
| C277 | Varmus et al., 1986, "Biochemical mechanisms of oncogene activity: proteins encoded by oncogenes," Cancer Surv. 5(2):153-158 |
| C278 | Vassallo et al., 2000, "Pulmonary Langerhans'-cell histiocytosis," N. Engl. J. Med. 342(26):1969-1978 |
| C279 | Vassilev et al., 1995, "The levels of ubiquitinated histone H2A are highly upregulated in transformed human cells: partial colocalization of uH2A clusters and PCNA/cyclin foci in a fraction of cells in S-phase," J. Cell Sci. 108 (Pt 3):1205-1215 |
| C280 | Verhoeven et al., 1988, "Reshaping human antibodies: grafting an antilysozyme activity," Science 239(4847):1534-1536 |
| C281 | Vestweber et al., 1985, "Identification of a putative cell adhesion domain of uvomorulin," EMBO J. 4(13A):3393-3398 |
| C282 | Vestweber et al., 1984, "Rabbit antiserum against a purified surface glycoprotein decompacts mouse preimplanted embryos and reacts with specific adult tissues," Exp. Cell. Res. 152(1):169-178 |
| C283 | Vestweber et al., 1984, "Some structural and functional aspects of the cell adhesion molecule uvomorulin," Cell. Differ. 15(2-4):269-273 |
| C284 | Vignali et al., 1993, "Interactions of CD4 with MHC class II molecules, T cell receptors and p56lck," Philos. Trans. R. Soc. Lond. B. Biol. Sci. 342(1299):13-24 |
| C285 | Volberg et al., 1992, "The effect of tyrosine-specific protein phosphorylation on the assembly of adherens-type junctions," EMBO J. 11(5):1733-1742 |
| C286 | Wada et al., 1998, "Glycosylphosphatidylinositol-anchored cell surface proteins regulate position-specific cell affinity in the limb bud," Devel. Biol. 202(2):244-252 |
| C287 | Walker-Daniels et al., 2002, "c-Cbl-dependent EphA2 protein degradation is induced by ligand binding," Mol. Cancer Res. 1(1):79-87 |
| C288 | Walker-Daniels, et al., 2001, "The mechanism of EphA2 protein degradation: Implications of increased EphA2 protein levels in metastatic cancer cells," in the Proc. of the Am. Assoc. for Cancer Res. Ann. Meeting 2001; 42:840 |
| C289 | Walker-Daniels, 1999, "Overexpression of EphA2 in metastatic cancer cells: A role for Ras signalling," Mol. Bio. Cell. 10: Abstract 2469, 39 th American Soc. for Cell Biol. (December 11-15, 1999) |
| C290 | Walker-Daniels et al., 1999, "Overexpression of the EphA2 tyrosine kinase in prostate cancer," Prostate 41(4):275-280 |
| C291 | Wang et al., 2002, "Negative regulation of EphA2 receptor by Cbl," Biochem. Biophys. Res. Commun. 296(1):214-220 |
| C292 | Warren et al., 2002, "Interstitial cystitis," Curr. Opin. Urol. 12(1):69-74 |
| C293 | Waters et al., 1995, "Spontaneous metastasis of PC-3 cells in athymic mice after implantation in orthotopic or ectopic microenvironments," Prostate 26:227-234 |
| C294 | Weaver et al., 1995, "The development of a functionally relevant cell culture model of progressive human breast cancer," Semin. Cancer Biol. 6(3):175-184 |
| C295 | Weiner, 1999, "Monoclonal antibody therapy of cancer," Semin. Oncol. 26(5 Suppl 14):43-51 |
| C296 | Welt et al., 2001, "Oral heparin prevents neointimal hyperplasia after arterial injury: inhibitory potential depends on type of vascular injury," Circulation 104(25):3121-3124 |
| C297 | Wendling et al., 2000, "Retinoid signaling is essential for patterning the endoderm of the third and fourth pharyngeal arches," Development 127(8):1553-1562 |
| C298 | Wilkinson, 2000, "Eph receptors and ephrins: regulators of guidance and assembly," Int Rev Cytol. 196:177-244 |
| C299 | Wu et al., 2004, "Prognostic value of EphA2 and ephrinA-1 in squamous cell cervical carcinoma," Gynecol. Onc. 94:312-319 |
| C300 | Zabalou, 1994, "A three-season comparative analysis of the chromosomal distribution of P and hobo mobile elements in a natural population of Drosophila melanogaster," Hereditas 120(2):127-140 |
| C301 | Zantek et al., 2001, "Analysis of cell migration," Meth. Cell Biol. Vol. 63, Chapter 25, pp. 549-559 |
| C302 | Zantek et al., 2001, "MCF-10A-NeoST: a new cell system for studying cell-ECM and cell-cell interactions in breast cancer," Clin. Cancer Res. 7(11):3640-3648 |
| C303 | Zantek et al., 1999, "E-cadherin regulates the function of the EphA2 receptor tyrosine kinase," Cell Growth Differ. 10(9):629-638 |
| C304 | Zantek, 1999, "Regulation of EphA2 and focal adhesion kinase in breast cancer," Ph.D. thesis, Purdue University; May 1999, 136 pages |
| C305 | Zantek et al., 1999, "Regulation of the EPHA2 receptor tyrosine kinase by estrogen and myc," 90 th Ann. Meeting of the Am. Assoc. Cancer, April 10-14, 1999, Proc. Ann. Meetings Am. Assoc. Cancer Res. 40:687 Abstract 4537 |

| | |
|------|---|
| C306 | Zantek et al., 1998, "Epithelial cell kinase (ECK/EPHA2) regulation in breast cancer," Mol. Bio. Cell 9(Supp):134a, abstract 773; 38 th Annual Meeting of the American Society for Cell Biology (December 12-16, 1998) |
| C307 | Zantek, et al., 1997, "Identification of an adhesion-associated tyrosine kinase that is tightly regulated in breast cancer," Mol. Bio. Cell. 8(Supp):134A, abstract 777; 37 th Annual Meeting of the American Society for Cell Biology, (December 13-17, 1997) |
| C308 | Zeid et al., 1995, "Tobacco smoke induced lung granulomas and tumors: association with pulmonary Langerhans cells," Pathology 27(3):247-254 |
| C309 | Zelinski et al., 2002, "Estrogen and Myc negatively regulate expression of the EphA2 tyrosine kinase," J. Cell Biochem. 85(4):714-720 |
| C310 | Zelinski et al., 2001, "EphA2 Overexpression causes tumorigenesis of mammary epithelial cells," Cancer Res. 61:2301-2306 |
| C311 | Zhang et al., 1991, "Relative malignant potential of human breast carcinoma cell lines established from pleural effusions and a brain metastasis," Invasion Metastasis 11(4):204-215 |
| C312 | Zhong et al., 1997, "Rho-stimulated contractility contributes to the fibroblastic phenotype of ras-transformed epithelial cells," Mol. Biol. Cell. 8(11):2329-2344 |
| C313 | Zhao et al., 2002, "Altered eosinophil levels as a result of viral infection in asthma exacerbation in childhood," Pediatr. Allergy Immunol. 13(1):47-50 |
| C314 | Zhou, 1998, "The Eph family receptors and ligands," Pharmacol. Ther. 77(3):151-181 |
| C315 | Zisch et al., 1998, "Complex formation between EphB2 and Src requires phosphorylation of tyrosine 611 in the EphB2 juxtamembrane region," Oncogene 16(20):2657-2670 |
| C316 | Zoller et al., 1982, "Oligonucleotide-directed mutagenesis using M13-derived vectors: an efficient and general procedure for the production of point mutations in any fragment of DNA," Nucleic Acids Res. 10(20):6487-6500 |

EXAMINER**DATE CONSIDERED**

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with **MPEP 609**; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.